

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : 10/015055 Examiner : Teller GAU : 1654
From : CA Location : (DC) FMF FDC Date : 7/18/05
Tracking # : 06102353 Week Date : 5/19/05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input checked="" type="checkbox"/> 312	<u>3/17/05</u>	
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: Amend to specification for D, & Ds inserts:
don't The instruction & text don't match what's in the
specification. please resolve. Thank You

[XRUSH] RESPONSE: amendment was scanned into wrong
application. Documents have been removed
and title corrected.

INITIALS: DP

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04